

10

I.N I.O

h4 UN

15

LU La

Ш

-=

CLAIMS

- 1. A method for inducing or enhancing chondrogenesis in cells comprising the step of exposing said cells to a matrix composition comprising of type I collagen and BMP-4.
- 2. A method for inducing or enhancing chondrogenesis in cells comprising the step of exposing said cells to a matrix composition comprising of type II collagen and BMP-4.
- 3. A method for inducing or enhancing chondrogenesis in cells comprising the step of exposing said cells to a matrix composition comprising of type I collagen, hyaluromate and BMP-4.
- 4. A method for inducing or enhancing chondrogenesis in cells comprising the step of exposing said cells to a matrix composition comprising of type II collagen, hyaluromate and BMP-4.
- 5. A method according to any one of claims 1 to 4, wherein said composition further comprises GDF-5.
 - 6. A method according to claim 1, 2, 3 or 4 wherein said step of exposing said cells occurs in vivo.
 - 7. A method according to claim 5 wherein said step of exposing said cells occurs in vivo.

- 8. A method according to claim 1, 2, 3 or 4 wherein said step of exposing said cells occurs in vitro.
 - 9. A method according to claim 5 wherein said step exposing said cells occurs in vitro.
- 10. A method according to claim 6 wherein said cells comprise joint tissue.
 - 11. A method according to claim 7 wherein said cells comprise joint tissues.

: 4

- 12. A composition comprising an extracellular matrix of type I collagen containing an effective amount of BMP-4 sufficient to induce or enhance chondrogenesis.
- 13. A composition comprising an extracellular matrix of type II collagen containing an effective amount of BMP-4 sufficient to induce or enhance chondrogenesis.
- 14. A composition comprising an extracellular matrix of type I collagen and hyaluronate containing an effective amount of BMP-4 sufficient to induce or enhance chondrogenesis.
- 15. A composition comprising an extracellular
 20 matrix of type II collagen and hyaluronate containing an
 effective amount of BMP-4 sufficient to induce or enhance
 chondrogenesis.

- 16. A composition comprising an extracellular matrix of type I collagen containing an effective amount of a combination of BMP-4 and GDF-5 sufficient to induce or enhance chondrogenesis.
- 17. A composition comprising an extracellular matrix of type II collagen containing an effective amount of BMP-4 and GDF 5 sufficient to induce or enhance chondrogenesis.
- 18. A composition comprising an extracellular matrix of type I collagen and hyaluronate containing an effective amount of BMP-4 and GDF-5 sufficient to induce or enhance chordrogenesis.

10

Q

19. A composition comprising an extracellular matrix of type II collagen and hyaluronate containing an effective amount of BMP-4 and GDF-5 sufficient to induce or enhance chondrogenesis.